

# P-80EmX

Safety harness with elastic webbing

IMPROVED

EN 358, EN 361, EN 813



## SPECIAL FEATURES



Suitable for explosion-hazard zones



Protection for maximum user's weight of 140 kg

## PARAMETERS

**Color** black-red

### TAPES

**Material** polyester

**Elastyczne taśmy barkowe** yes

**Width** 45 mm

### THREADS

**Material** polyester

### CONNECTING AND ADJUSTING BUCKLES

**Material** High-carbon steel, galvanised, ABS

**Type** automatic

### ADJUSTING BUCKLES

**Material** galvanized steel

**Type** automatic

### ATTACHMENT BUCKLE

**Material** galvanized steel

### CHEST BUCKLE


**Material** plastic

**Soft padding** thigh straps, waist belt

### VARIANTS

| ref. no. | size   |
|----------|--------|
| AB18022  | S      |
| AB18022  | M - XL |
| AB18022  | XXL    |

### FIGURES



### DIMENSIONS

|      | W           | H            | C            | T          |
|------|-------------|--------------|--------------|------------|
| S    | 75 - 110 cm | 155 - 170 cm | 70 - 90 cm   | 40 - 60 cm |
| M-XL | 85 - 120 cm | 164 - 180 cm | 85 - 100 cm  | 50 - 75 cm |
| XXL  | 90 - 140 cm | 180 - 195 cm | 100 - 130 cm | 60 - 85 cm |

# P-80EmX

Safety harness with elastic webbing

IMPROVED

## ADDITIONAL PHOTOS



## PHOTOS 360 (ROTATING)



# P-80EmX

Safety harness with elastic webbing

**IMPROVED**

